



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS



COFL

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 14374.64

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Robert Steven Miller

Serial No.: 10/017,698

Filed: Dec. 7, 2001

Confirmation No.: 5706

For: *INTEGRATED COMPONENT MOUNTING SYSTEM
FOR USE IN AN X-RAY TUBE*

Examiner: Courtney Thomas

Patent No.: 6,819,742 B2

Issue Date: Nov. 16, 2004

Art Unit
2882

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate

SEP 30 2010

of Correction

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

09/29/2010 HBLANCO 00000038 6819742

01 FC:1811

100.00 0P

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 30th day of August, 2010.

Respectfully submitted,



PAUL G. JOHNSON
Attorney for Applicant
Registration No.: 58,539
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 24 day of September, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 170258 in the amount of \$100

PGJ:tgp
3001536_1



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 14374.64

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In application of

Robert Steven Miller

Serial No.: 10/017,698

Filed: Dec. 7, 2001

Confirmation No.: 5706

For: *INTEGRATED COMPONENT MOUNTING SYSTEM
FOR USE IN AN X-RAY TUBE*

Examiner: Courtney Thomas

Patent No.: 6,819,742 B2

Issue Date: Nov. 16, 2004

Art Unit
2882

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 30th day of August, 2010.

Respectfully submitted,



PAUL G. JOHNSON
Attorney for Applicant
Registration No.: 58,539
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 24 day of September, 2010.

Respectfully submitted,



Transmitted:

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 170258 in the amount of \$100

PGJ:tgp
3001536_1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 6,819,742 B1

APPLICATION NO. : 10/017,698

ISSUE DATE : Nov. 16, 2004

INVENTOR(S) : Miller

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 13, after "maintain" remove [the]

Column 4

Line 33, after "defined by" insert --a structure--

Column 5

Line 7, change "'c'" to --"e"--

Column 6

Line 57, change "3A and 3B" to --3 and 3A--

Column 7

Line 1, change "3A and 3B" to --3 and 3A--

Line 66, change "3A and 3B" to --3 and 3A--

Column 8

Line 1, change "3A and 3B" to --3 and 3A--

MAILING ADDRESS OF SENDER (Please do not use customer number)

PAUL G. JOHNSON, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO. : 6,819,742 B1

APPLICATION NO. : 10/017,698

ISSUE DATE : Nov. 16, 2004

INVENTOR(S) : Miller

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9

Line 8, change "3B" to --3A--

Line 21, change " β " to -- δ --

Line 31, change "402" to --302--

Line 33, change "304A" to --304B--

Line 35, change both instances of " ϵ " to -- ε --Line 40, change " ϵ " to -- ε --

Line 54, change "3A" to --3--

Line 59, change "304A" to --304B--

Line 60, change "F," to --F₁--

Line 65, change "202" to --302--

Line 66, change "3A and 3B" to --3 and 3A--

Line 67, change "3A" to --3--

Column 10

Line 7, change "3A and 3B" to --3 and 3A--

Line 8, change "3A and 3B" to --3 and 3A--

Line 61, before "eliminated" change "is" to --are--

Column 11

Line 8, change "3A" to --3--

Line 33, change "FIG. 7" to --FIG. 6--

MAILING ADDRESS OF SENDER (Please do not use customer number)

PAUL G. JOHNSON, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 6,819,742 B1

APPLICATION NO. : 10/017,698

ISSUE DATE : Nov. 16, 2004

INVENTOR(S) : Miller

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 13, after "maintain" remove [the]

Column 4

Line 33, after "defined by" insert --a structure--

Column 5

Line 7, change "'c'" to --"e"--

Column 6

Line 57, change "3A and 3B" to --3 and 3A--

Column 7

Line 1, change "3A and 3B" to --3 and 3A--

Line 66, change "3A and 3B" to --3 and 3A--

Column 8

Line 1, change "3A and 3B" to --3 and 3A--

MAILING ADDRESS OF SENDER (Please do not use customer number)

PAUL G. JOHNSON, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO. : 6,819,742 B1

APPLICATION NO. : 10/017,698

ISSUE DATE : Nov. 16, 2004

INVENTOR(S) : Miller

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9

Line 8, change "3B" to --3A--.

Line 21, change " β " to -- δ --

Line 31, change "402" to --302--

Line 33, change "304A" to --304B--

Line 35, change both instances of " ϵ " to -- ε --Line 40, change " ϵ " to -- ε --

Line 54, change "3A" to --3--

Line 59, change "304A" to --304B--

Line 60, change "F," to --F₁--

Line 65, change "202" to --302--

Line 66, change "3A and 3B" to --3 and 3A--

Line 67, change "3A" to --3--

Column 10

Line 7, change "3A and 3B" to --3 and 3A--

Line 8, change "3A and 3B" to --3 and 3A--

Line 61, before "eliminated" change "is" to --are--

Column 11

Line 8, change "3A" to --3--

Line 33, change "FIG. 7" to --FIG. 6--

MAILING ADDRESS OF SENDER (Please do not use customer number)

PAUL G. JOHNSON, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.